

HOLEID	Area	From (m)	To (m)	Length (m)	Au_g/t	Ag_g/t	AgEq_g/t
TW20-001	Victor Vein	554.7	557.8	3.0	2.435	221.3	464.8
TW20-001	Victor Vein	560.8	563.9	3.0	11.518	1046.1	2197.9
Including		560.8	562.4	1.5	18.667	1736.7	3603.4
TW20-001	Victor Vein	574.5	603.5	29.0	5.291	435.7	964.8
Including		582.2	592.8	10.7	7.941	623.1	1417.2
TW20-001	Victor Vein	612.6	615.7	3.0	1.925	135.1	327.6
TW20-003	Victor Vein	702.6	704.1	1.5	1.890	140.0	329.0
TW20-005	DPB	402.3	403.9	1.5	1.630	182.3	345.3
TW20-006	DPB	275.8	277.4	1.5	8.680	802.6	1670.6
TW20-006	DPB	321.6	326.1	4.6	9.036	673.1	1576.7
Including		323.1	326.1	3.0	12.633	952.0	2215.3
TW20-006	DPB	327.7	329.2	1.5	2.170	163.0	380.0
TW20-007	DPB	484.6	486.2	1.5	2.060	180.8	386.8
TW20-008	New Discovery	242.3	243.8	1.5	3.430	218.6	561.6
TW20-012C	Victor Vein	581.9	583.4	1.5	2.670	223.5	490.5
TW20-016	Step Out	233.2	234.7	1.5	4.840	5.3	489.3
TW20-016	Step Out	307.9	309.4	1.5	1.780	144.6	322.6
TW20-016	Step Out	385.6	387.1	1.5	3.220	231.7	553.7
TW20-017	DPB	374.9	376.4	3.1	13.962	1070.2	2466.3
Including		376.4	378.0	1.5	26.133	2029.8	4643.1
TW20-017	DPB	440.4	442.0	1.5	2.840	221.9	505.9
TW20-020C	Victor	585.2	586.7	1.5	4.750	334.5	809.5
TW20-020C	Victor	592.2	593.1	0.9	19.000	1634.4	3534.4
TW20-021C	Victor	621.2	624.2	3.0	3.500	435.5	785.5
TW20-022	DPB	474.0	478.6	4.5	1.530	131.6	284.7
TW20-024C	Victor	521.5	523.1	1.6	2.050	210.0	415.0
TW20-024C	Victor	573.3	574.7	1.4	3.560	405.0	761.0
TW20-024C	Victor	580.0	582.4	2.4	3.948	364.0	758.8
TW20-027	DPB	474.0	475.5	1.5	1.650	120.0	285.0
TW20-027	DPB	495.3	507.5	12.2	1.508	146.4	297.2
TW20-027	DPB	518.2	519.7	1.5	1.090	121.0	230.0
TW20-027	DPB	548.6	551.7	3.0	1.545	157.0	311.5
TW20-030	DPB	522.7	524.3	1.5	1.350	153.0	288.0
TW20-031C	Victor	535.8	538.7	2.9	5.353	545.9	1081.2
TW20-034	DPB	426.7	428.2	1.5	1.240	94.2	218.2
TW20-034	DPB	477.0	478.5	1.5	1.270	137.0	264.0
TW20-034	DPB	480.0	481.6	1.5	0.978	105.0	202.8
TW20-037	DPB	275.8	278.9	3.0	10.510	1187.5	2238.5
TW20-040	DPB	481.6	483.1	1.5	1.960	164.0	360.0
TW20-041C	Victor	578.2	581.3	3.1	1.884	198.0	386.4
Including		578.2	578.5	0.3	5.500	571.0	1121.0
TW20-061C	Victor	631.6	650.1	18.5	1.539	142.0	295.0
Including		631.6	641.0	9.4	1.241	125.0	249.1
Including		631.6	633.0	1.3	4.350	354.0	789.0
Including		644.0	650.1	6.1	2.743	235.0	509.3
Including		648.6	650.1	1.5	9.830	808.0	1791.0

HOLEID	Area	From (m)	To (m)	Length (m)	Au_g/t	Ag_g/t	AgEq_g/t
TW21-054	DPB	400.8	403.9	3.1	4.780	286.0	764.0
TW21-058	Step Out	317.0	318.5	1.5	1.290	94.5	223.5
TW21-062	Step Out	397.8	400.8	3.1	6.150	388.0	1003.0
Including		399.3	400.8	1.5	9.860	568.0	1554.0
TW21-068	Step Out	385.6	387.1	1.5	1.600	178.0	338.0
TW21-068	Step Out	410.0	414.5	4.5	6.564	743.0	1399.4
Including		411.5	413.0	1.5	16.000	1722.0	3322.0
TW21-076	DPB	143.2	155.4	12.2	2.538	14.9	268.7
Including		146.3	150.9	4.6	5.372	22.9	560.1
TW21-077	Victor	599.0	602.0	3.0	3.075	310.0	617.5
Including		599.0	600.5	1.5	4.190	443.0	862.0
TW21-077	Victor	606.5	614.2	7.6	2.139	230.0	444.0
Including		609.5	611.1	1.5	4.890	512.0	1001.0
TW21-079	DPB	201.2	204.2	3.0	1.485	130.1	278.6
TW21-082	DPB	356.6	365.8	9.1	0.850	135.0	220.3
Including		358.1	359.6	1.5	1.670	278.0	445.0
Including		364.2	365.7	1.5	2.330	393.0	626.0
TW21-083	DPB	440.4	441.9	1.5	1.3	137.0	264.0
TW21-085	Victor	594.4	599	4.6	3.113	275.6	338.9
Including		597.4	599	1.6	7.12	577	1289
TW21-090	Step Out	132.6	134.1	1.5	2.150	67.3	282.3
TW21-092C	Victor W. Ext.	467.7	469.9	2.2	1.533	140.9	294.2
Including		467.7	468.7	1.0	2.860	250.0	536.0
TW21-093C	Victor	494.3	495.1	0.8	1.930	207.0	400.0
TW21-094C	Victor	527.8	532.2	4.4	1.837	140.8	324.5
Including		528.2	530.4	2.2	2.956	226.8	522.4
TW21-094C	Victor	597.4	598.3	0.9	0.942	117.0	211.2
TW21-094C	Victor	601.2	601.9	0.7	1.020	117.0	219.0
TW21-095C	Victor	551.1	552.6	1.5	3.660	376.0	742.0
TW21-095C	Victor	608.0	608.2	0.2	1.100	152.0	262.0
TW21-096C	Victor	465.0	466.1	1.1	1.970	126.0	323.0
TW21-096C	Victor	467.4	468.9	1.5	1.140	118.0	232.0
TW21-097C	Victor	461.2	467.7	6.5	1.945	261.3	455.8
Including		464.5	466.1	1.6	5.260	655.0	1181.0
TW21-097C	Victor	469.4	477.5	8.1	1.076	192.9	300.5
TW21-097C	Victor	488.2	489.9	1.7	3.930	660.0	1053.0
TW21-097C	Victor	499.3	500.9	1.6	0.917	122.0	213.7
TW21-099	Step Out	153.9	155.4	1.5	2.280	4.3	232.3
TW21-099	Step Out	221.0	224.0	3.0	1.161	127.0	243.1
TW21-109	Step Out	553.2	554.7	1.52	2.000	298.0	498.0
TW21-110	Step Out	260.6	262.1	1.52	2.030	7.5	210.5
TW21-110	Step Out	341.4	342.9	1.52	1.460	157.0	303.0
TW21-116	Victor	435.9	437.4	1.52	1.600	187.0	347.0
TW21-116	Victor	519.7	521.2	1.52	1.490	144.0	293.0
TW21-116	Victor	538.0	541.0	3.05	1.164	176.5	292.9

HOLEID	Area	From (m)	To (m)	Length (m)	Au_g/t	Ag_g/t	AgEq_g/t
TXC21-001	DPB	439.8	442.9	3.1	1.291	136.1	265.2
TXC21-002	DPB	514.0	515.1	1.1	3.080	300.0	608.0
TXC21-004	DPB	504.1	504.7	0.6	1.050	139.0	244.0
TXC21-005	DPB	362.9	363.4	0.5	0.842	159.0	243.2
TXC21-005	DPB	371.7	372.1	0.4	5.660	677.0	1243.0
TXC21-005	DPB	399.0	400.0	1.0	1.300	135.0	265.0
TXC21-006	DPB	348.7	352.2	3.5	7.281	510.9	1239.0
Including		349.0	349.9	0.9	21.866	1355.0	3541.6
TXC21-008	DPB	476.4	477.6	1.2	0.684	159.0	227.4
TXC21-008	DPB	484.2	484.8	0.6	1.820	234.0	416.0
TXC21-008	DPB	487.2	487.7	0.5	4.210	401.0	822.0
TXC21-009	DPB	442.6	443.2	0.6	1.180	163.0	281.0
TXC21-010	DPB	458.6	459.3	0.7	5.610	445.0	1006.0
TXC21-010	DPB	472.9	475.3	2.4	4.040	301.2	705.1
TXC21-010	DPB	527.6	528.2	0.6	27.500	1537.0	4287.0
TXC21-012	DPB	403.4	403.7	0.3	1.900	127.0	317.0
TXC21-012	DPB	406.5	407.1	0.6	0.904	142.0	232.4
TXC21-015	DPB	554.7	556	1.3	2.190	260.0	479.0
TXC21-015	DPB	610.5	611.9	1.4	0.783	120.5	198.8
TXC21-015	DPB	625.3	626.3	1	2.400	297.0	537.0
TXC21-016	DPB	477.4	480.7	3.3	2.256	222.7	448.3
Including		477.4	477.9	0.5	5.520	494.0	1046.0
TXC21-016	DPB	487.2	488.1	0.9	0.761	123.5	199.6
TXC21-017	DPB	369.7	370.2	0.5	2.610	155.0	416.0
TXC21-017	DPB	371.2	371.6	0.4	1.020	108.0	210.0
TXC21-017	DPB	373.4	374.7	1.3	1.217	132.0	253.7
TXC21-017	DPB	375.5	376.3	0.8	1.550	126.0	281.0
TXC21-017	DPB	377.9	385.3	7.4	2.003	180.6	380.8
Including		381	382.5	1.5	5.467	487.3	1034.0
TXC21-017	DPB	395.3	396.4	1.1	1.465	148.5	295.0
TXC21-017	DPB	397.6	401.1	3.5	2.560	279.2	295.0
Including		399.6	401.1	1.5	4.950	536.0	1031.0
TXC21-025	DPB	330	330.5	0.5	1.220	152.0	274.0
TXC21-025	DPB	333.8	334.1	0.3	3.220	429.0	751.0
TXC21-026	DPB	301.1	302.7	1.6	2.500	210.0	460.0
TXC21-026	DPB	310	310.3	0.3	1.010	119.0	220.0
TXC21-026	DPB	359.1	363.2	4.1	9.070	1120.0	2027.0
Including		361.2	362.1	0.9	20.850	2994.5	5079.5
TXC21-027	DPB	373.7	375.5	1.8	1.168	173.2	290.0
TXC21-027	DPB	376.8	377.7	0.9	3.457	315.7	661.3
TXC21-027	DPB	378.2	379.7	1.5	6.500	592.1	1242.1
Including		379	379.7	0.7	12.100	1095.0	2305.0
TXC21-028	DPB	524.9	526.1	1.2	4.420	68.4	510.4
TXC21-020	DPB	488.6	492.1	3.5	2.419	258.3	500.2
Including		491.0	492.1	1.1	4.370	427.0	864.0

HOLEID	Area	From (m)	To (m)	Length (m)	Au_g/t	Ag_g/t	AgEq_g/t
TXC21-020	DPB	522.1	524.0	1.8	2.230	141.7	364.7
TXC21-020	DPB	524.9	526.2	1.4	1.980	153.0	351.0
TXC21-020	DPB	527.2	528.2	1.0	2.543	195.9	450.2
TXC21-020	DPB	557.9	558.8	0.9	1.990	161.0	360.0
TXC21-020	DPB	608.0	608.4	0.4	4.440	395.0	839.0
TXC21-021	DPB	591.8	592.8	1.0	1.500	144.0	294.0
TXC21-022	DPB	311.3	311.7	0.4	1.220	126.0	248.0
TXC21-022	DPB	489.7	490.0	0.3	1.115	152.0	263.5
TXC21-023	DPB	388.9	389.5	0.5	1.840	160.0	344.0
TXC21-025	DPB	330	330.5	0.5	1.220	152.0	274.0
TXC21-025	DPB	333.8	334.1	0.3	3.220	429.0	751.0
TXC21-026	DPB	301.1	302.7	1.6	2.500	210.0	460.0
TXC21-026	DPB	310	310.3	0.3	1.010	119.0	220.0
TXC21-026	DPB	359.1	363.2	4.1	9.070	1120.0	2027.0
Including		361.2	362.1	0.9	20.850	2994.5	5079.5
TXC21-027	DPB	373.7	375.5	1.8	1.168	173.2	290.0
TXC21-027	DPB	376.8	377.7	0.9	3.457	315.7	661.3
TXC21-027	DPB	378.2	379.7	1.5	6.500	592.1	1242.1
Including		379	379.7	0.7	12.100	1095.0	2305.0
TXC21-028	DPB	524.9	526.1	1.2	4.420	68.4	510.4
TXC21-030	DPB	446.8	449.9	3.0	1.600	162.5	322.5
TXC21-030	DPB	545.6	545.9	0.3	2.170	244.0	461.0
TXC21-031	DPB	388.2	388.7	0.5	1.930	229.0	422.0
TXC21-032	DPB	361.8	363.3	1.5	1.810	190.0	371.0
TXC21-035	DPB	396.9	397.2	0.4	4.970	9.5	506.5
TXC21-036	DPB	507.5	508.1	0.6	1.480	128.0	276.0
TXC21-036	DPB	604.1	604.7	0.5	0.924	120.0	212.4
TXC21-039	DPB	299.9	300.8	0.91	8.510	850.0	1701.0
TXC21-039	DPB	367.3	367.9	0.61	3.200	333.0	653.0
TXC21-039	DPB	415.4	416.0	0.58	1.580	156.0	314.0
TXC21-039	DPB	417.9	418.7	0.82	1.090	96.8	205.8
TXC21-039	DPB	471.4	471.8	0.46	1.070	103.0	210.0
TXC21-039	DPB	487.6	488.0	0.34	1.260	109.0	235.0
TXC21-040	DPB	544.4	545.1	0.70	1.560	155.0	311.0
TXC21-042	DPB	435.9	436.8	0.91	2.730	262.0	535.0
TXC21-045	DPB	563.6	564.3	0.73	2.270	380.0	607.0
TXC21-045	DPB	565.1	567.1	2.00	3.640	377.3	741.3
Including		566.3	567.1	0.79	7.640	741.0	1505.0
TXC21-047	DPB	428.9	430.1	1.22	1.710	30.3	201.3
TXC21-048	DPB	432.2	432.5	0.31	1.390	117.0	256.0
TXC21-048	DPB	475.8	476.3	0.55	8.392	875.5	1714.7
Including		475.8	476.1	0.31	11.267	1136.0	2262.7
TXC22-050	DPB	434.5	435.0	0.46	3.890	812.0	1201.0

AgEq_g/t = Ag_g/t + Au_g/t*100; AuEq_g/t = Au_g/t + Ag_g/t/100. True thickness unknown. NSV = No significant values